

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**


**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**




**FIGURE 1**




**FIGURE 2**




**FIGURE 3**



**FIGURE 4**




**FIGURE 5**




**FIGURE 6**

705




710


FIGURE 7




**FIGURE 8**




**FIGURE 9**




**FIGURE 10**




**FIGURE 11**




**FIGURE 12**



## FIGURE 13



**FIGURE 14**



The screenshot shows a Microsoft Internet Explorer window with the title bar "C:\rainbow\_softwares\argoMTE\test\_bed\arch2\client\clientA\client.xml - Microsoft Internet Explorer". The address bar contains the URL "C:\rainbow\_softwares\argoMTE\test\_bed\arch2\client\clientA\client.xml". The main content area displays the following XML code:

```
<?xml version="1.0" encoding="UTF-8" ?>
- <Client>
  <Name>clientA</Name>
  <Threads>5</Threads>
  - <RemoteRequest>
    <Name>selectVideo</Name>
    <Type>httpRequest</Type>
    <RemoteServer>tomcat_VideoWebApp</RemoteServer>
    <RemoteServerType>tomcat</RemoteServerType>
    <RemoteObject>videoSearch</RemoteObject>
    <RemoteMethod>SelectVideo</RemoteMethod>
    <Duration>60</Duration>
    <WarmUp>10</WarmUp>
    <RecordTime>yes</RecordTime>
  </RemoteRequest>
</Client>
```


**FIGURE 15**

```


<?xml version="1.0" encoding="UTF-8"?>
- <Model_Management.Model xmi:id="xmi.1" xmi:uuid="null">
  - <MarchMMOperHost name="Client" xmi:id="xmi.2" xmi:uuid="#-126--40-34--79-4936f3:f155df1b5d:-7ffe">
    - <MarchMMOperations>
      - <MarchMMOperation>
        <MarchMMOperation.Name>RemoteRequest</MarchMMOperation.Name>
        - <MarchMMOperation.Parameters>
          - <MarchMMOperation.TestingParameter>
            <MarchMMOperation.TestingParameter.Name>Type</MarchMMOperation.TestingParameter.Name>
            <MarchMMOperation.TestingParameter.withStereotype>true</MarchMMOperation.TestingParameter.withStereotype>
          </MarchMMOperation.TestingParameter>
        - <MarchMMOperation.TestingParameter>
          <MarchMMOperation.TestingParameter.Name>String</MarchMMOperation.TestingParameter.Name>
          <MarchMMOperation.TestingParameter.withStereotype>true</MarchMMOperation.TestingParameter.withStereotype>
        </MarchMMOperation.TestingParameter>
      - <MarchMMOperation.TestingParameter>
        <MarchMMOperation.TestingParameter.Name>Server</MarchMMOperation.TestingParameter.Name>
        <MarchMMOperation.TestingParameter.withStereotype>true</MarchMMOperation.TestingParameter.withStereotype>
      - <MarchMMOperation.TestingParameter>
        <MarchMMOperation.TestingParameter.Name>RemoteObject</MarchMMOperation.TestingParameter.Name>
        <MarchMMOperation.TestingParameter.withStereotype>true</MarchMMOperation.TestingParameter.withStereotype>
      - <MarchMMOperation.TestingParameter>
        <MarchMMOperation.TestingParameter.Name>RequestMethod</MarchMMOperation.TestingParameter.Name>
        <MarchMMOperation.TestingParameter.withStereotype>true</MarchMMOperation.TestingParameter.withStereotype>
      - <MarchMMOperation.TestingParameter>
        <MarchMMOperation.TestingParameter.Name>Times</MarchMMOperation.TestingParameter.Name>
        <MarchMMOperation.TestingParameter.withStereotype>true</MarchMMOperation.TestingParameter.withStereotype>
      - <MarchMMOperation.TestingParameter>
        <MarchMMOperation.TestingParameter.Name>oCall</MarchMMOperation.TestingParameter.Name>
        <MarchMMOperation.TestingParameter.withStereotype>true</MarchMMOperation.TestingParameter.withStereotype>
    </MarchMMOperations>
  </MarchMMOperHost>
</Model_Management.Model>

```


## FIGURE 16




**FIGURE 17**




**FIGURE 18**




**FIGURE 19**




**FIGURE 20**



**FIGURE 21**



**FIGURE 22**



## FIGURE 23

2400

## Compare targets of various design models

Target_Name	MSNet	J2EE	CORBA	RMI
findCustomer	1	2	3	4
findRental	6	8	10	12
findVideo	5	6	8	10
updateCustomer	4	8	11	15
updateRental	6	7	8	9




FIGURE 24